W

Notice of Allowability	Application No.	Applicant(s)	
	09/934,839	TANAKA ET AL.	
	Examiner	Art Unit	
	Tamra L. Dicus	1774	
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED is or other appropriate comm GHTS. This application is and MPEP 1308.	ith the correspondence address n this application. If not included	ve
2. The allowed claim(s) is/are 1-17,19 and 20.	<u> </u>		
3. The drawings filed on 23 August 2001 are accepted by the	Examiner,		
 4. Acknowledgment is made of a claim for foreign priority un a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Application	on No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONMI THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (DTO 153) which single	ENT Of this application.	MINED'S AMENDMENT - NOTICE OF	
- White FATENT AT Election (FTO-152) which give:	s reason(s) why the oath or	declaration is deficient.	
6. CORRECTED DRAWINGS (as "replacement sheets") must	be submitted.		
(a) ☐ including changes required by the Notice of Draftsperso	on's Patent Drawing Review	(PTO-948) attached	
1) hereto or 2) to Paper No./Mail Date			
(b) including changes required by the attached Examiner's Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.8 each sheet. Replacement sheet(s) should be labeled as such in the	4(c)) should be written on the header according to 37 CF	e drawings in the front (not the back) of R 1.121(d).	
 DEPOSIT OF and/or INFORMATION about the depos attached Examiner's comment regarding REQUIREMENT F 	IT OF BIOLOGICAL MATE	PIAL must be submitted. Not at	
Attachment(s)			
I. ☐ Notice of References Cited (PTO-892)	5. Notice of Info	ormal Patent Application (PTO-152)	
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. 🗌 Interview Su	mmary (PTO-413),	
B. ⊠ Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 07-19-04	Paper No./N), 7. ☐ Examiner's A	Mail Date Amendment/Comment	
I. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's S 9. □ Other	Statement of Reasons for Allowance	

Application/Control Number: 09/934,839

Art Unit: 1774

DETAILED ACTION

The IDS and cancellation of claim 18 is acknowledged.

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: The closest prior art of record is USPN 6,110,574 to Ochi et al. teaching a retroreflective sheet with adhesive and a fluorine-containing resin film and USPN 5,213,872 to Pricone et al. teaching printed retroreflective sheeting. However, there is no motivation to combine the references and the references alone fail to teach the claimed invention. The novel feature of the instant application is the spacing and length requirements of the printed parts, e.g. "printed parts having a maximum printed length of each part being 10 mm or smaller, and an interval of isolation between each part being at least 1 mm at the narrowest". Thus, the invention is allowable based on these differences.

Conclusion

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tamra L. Dicus whose telephone number is 571-272-1519. The examiner can normally be reached on Monday-Friday, 7:00-4:30 p.m., alternate Fridays.

Application/Control Number: 09/934,839

Art Unit: 1774

Page 3

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rena Dye can be reached on 571-272-3186. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Tamra L. Dicus Examiner Art Unit 1774

September 16, 2004

RENA DYE
SUPERVISORY PATENT EXAMINER

1.0.1774